

Page 1/6

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 30.03.2020

Version number 2

Revision: 18.03.2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

• Trade name: O2-Elektrolyt II/1

- · **Description:** Electrolyte solution
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against:

• Product category: PC21 Laboratory chemicals

Process category: PROC15 Use as laboratory reagent

· Application of the substance / the preparation: Water analysis

· 1.3 Details of the supplier of the safety data sheet

• Manufacturer/Supplier: Xylem Analytics Germany GmbH Sensortechnik Meinsberg Meinsberg, Kurt-Schwabe-Straße 6 D-04736 Waldheim Germany Tel. +49 34327 623-0

· Further information obtainable from: Email: info@meinsberg.de

· 1.4 Emergency telephone number: Chemtrec: (USA & Canada) 800-424-9300 (International) 001 703-527-3887

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008:



Acute Tox. 4 H302 Harmful if swallowed.

· 2.2 Label elements:

· Labelling according to Regulation (EC) No 1272/2008:

- The product is classified and labelled according to the CLP regulation.
- · Hazard pictograms: GHS07
- · Signal word: Warning
- Hazard-determining components of labelling: ethylene glycol
- · Hazard statements:
- H302 Harmful if swallowed.
- · Precautionary statements:
- P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.
- P330 Rinse mouth.

• 2.3 Other hazards No further relevant information available.

EU

according to 1907/2006/EC, Article 31

Version number 2

Revision: 18.03.2020

Trade name: O2-Elektrolyt II/1

(Contd. of page 1)

SECTION 3: Composition/information on ingredients

· 3.2 Mixture

· Description:

Printing date 30.03.2020

Mixture, consisting of the following components:

Ethylene glycol, water, sodium carbonate, sodium hydrogencarbonate

· Dangerous components:

	-		
CAS: 107-21-1 EINECS: 203-473-3 Index number: 603-027-00-1	ethylene glycol	Acute Tox. 4, H302	50 – 100%
CAS: 497-19-8 EINECS: 207-838-8 Index number: 011-005-00-2	sodium carbonate	♦ Eye Irrit. 2, H319	1 – < 5%
• Additional information: F	For the wording of the listed hazard phrases refer to section	16.	

SECTION 4: First aid measures

• 4.1 Description of first aid measures

• After inhalation: Supply fresh air. Call a doctor immediately.

· After skin contact:

Wash with plenty of water.

Take off contaminated clothing.

- After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: Make victim drink water immediately (2 glasses at most). Seek immediate medical advice.

• **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.

• 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

· Suitable extinguishing agents: Water, carbon dioxide (CO2), foam, extinguishing powder

$^{\circ}$ 5.2 Special hazards arising from the substance or mixture

Development of flammable vapors in the event of fire.

Formation of toxic gases is possible during heating or in case of fire.

5.3 Advice for firefighters

• Protective equipment:

Wear self-contained respiratory protective device.

No special measures required.

· Additional information

Suppress gases/fumes/haze with water spray.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Wear personal protective equipment (see section 8). Ensure adequate ventilation Do not inhale vapors.

according to 1907/2006/EC, Article 31

Version number 2

Revision: 18.03.2020

Trade name: O2-Elektrolyt II/1

Printing date 30.03.2020

· 6.2 Environmental precautions:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.

Wear personal protective equipment (see section 8)

· Information about fire - and explosion protection: No special measures required.

$^{\cdot}$ 7.2 Conditions for safe storage, including any incompatibilities

- Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
- Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep container tightly sealed.

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· Additional information about design of technical facilities: No further data; see item 7.

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

107-21-1 ethylene glycol

IOELV Short-term value: 104 mg/m³, 40 ppm Long-term value: 52 mg/m³, 20 ppm Skin

• Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls

· Personal protective equipment:

· General protective and hygienic measures:

Avoid contact with the eyes and skin.

Do not inhale gases / fumes / aerosols.

Take off contaminated clothing and wash it before reuse.

Wash hands before breaks and at the end of work.

Respiratory protection:

Only required when fog or aerosols are generated or when the workplace is not sufficiently ventilated.

Recommended Filter type: Combination filter A/P2

· Protection of hands: Protective gloves

• Material of gloves

Nitrile rubber, NBR

Recommended thickness of the material: $\geq 0.11 \text{ mm}$

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection: Safety glasses

· Body protection: Light weight protective clothing

(Contd. of page 2)

according to 1907/2006/EC, Article 31

Version number 2

Revision: 18.03.2020

(Contd. of page 3)

Trade name: O2-Elektrolyt II/1

Printing date 30.03.2020

\cdot Limitation and supervision of exposure into the environment

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 9: Physical and chemical properties · 9.1 Information on basic physical and chemical properties · General Information · Appearance: · Form: Liquid · Colour: Colourless · Odour: Odourless · Odour threshold: Not determined. · pH-value at 20 °C: 6.5 · Change in condition • Melting point/freezing point: Undetermined. · Initial boiling point and boiling range: Undetermined. · Flash point: Not applicable. · Flammability (solid, gas): Not applicable. · Decomposition temperature: Not determined. · Auto-ignition temperature: Product is not selfigniting. · Explosive properties: Product does not present an explosion hazard. · Explosion limits: · Lower: Not determined. · Upper: Not determined. · Vapour pressure at 20 °C: 23 hPa · Density at 20 °C: 1.1 g/cm³ · Relative density Not determined. · Vapour density Not determined. · Evaporation rate Not determined. · Solubility in / Miscibility with · water: Not miscible or difficult to mix. · Partition coefficient: n-octanol/water: Not determined. · Viscosity: Dynamic: Not determined. Kinematic: Not determined. · 9.2 Other information No further relevant information available.

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

· Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid Do not heat.

• 10.5 Incompatible materials: No further relevant information available.

according to 1907/2006/EC, Article 31

Version number 2

Revision: 18.03.2020

(Contd. of page 4)

Trade name: O2-Elektrolyt II/1

• 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Harmful if swallowed.

· LD/LC50 values relevant for classification:

107-21-1 ethylene glycol		
Oral	LD50	4700 mg/kg (Rat)
Dermal	LD50	4700 mg/kg (Rat) 10600 mg/kg (Rabbit)
497-19-8 sodium carbonate		
Oral	LD50	4090 mg/kg (Rat)

Primary irritant effect:

- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.

· Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
 - · Germ cell mutagenicity Based on available data, the classification criteria are not met.
 - · Carcinogenicity Based on available data, the classification criteria are not met.
 - Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:

497-19-8 sodium carbonate

EC50 265 mg/l, 48 h (Daphnia magna) (IUCLID)

- LC50 300 mg/l, 96 h (Lepomis macrochirus) (IUCLID)
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment Not applicable.
- 12.6 Other adverse effects
 - General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Disposal must comply with the relevant local regulations. We recommend that you contact either the authorities in charge or approved waste disposal companies which will advise you on how to dispose the special waste.

according to 1907/2006/EC, Article 31

Version number 2

Revision: 18.03.2020

(Contd. of page 5)

Trade name: O2-Elektrolyt II/1

Printing date 30.03.2020

Uncleaned packaging:

· Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning. Packagings that may not be cleansed are to be disposed of in the same manner as the product.

SECTION 14: Transport information

· 14.1 UN-Number · ADR/RID, ADN, IMDG, IATA	Void
14.2 UN proper shipping name ADR/RID, ADN, IMDG, IATA	Void
· 14.3 Transport hazard class(es)	
ADR/RID, ADN, IMDG, IATA Class	Void
· 14.4 Packing group · ADR/RID, IMDG, IATA	Void
· 14.5 Environmental hazards:	Not applicable.
· 14.6 Special precautions for user	Not applicable.
• 14.7 Transport in bulk according to Annex II o the IBC Code	-
• Transport/Additional information:	Not applicable. Not dangerous according to the above specifications.
UN "Model Regulation":	Void

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

Relevant phrases

H302 Harmful if swallowed.

H319 Causes serious eye irritation.

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 4: Acute toxicity - oral – Category 4

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2