

Page 1/7

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 30.03.2020 Version number 2 Revision: 18.03.2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
 - · Trade name: Elektrolyt: Schwefelsäure 1 mol/l
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against:
 - · Product category: PC21 Laboratory chemicals
 - · Process category: PROC15 Use as laboratory reagent
 - · Application of the substance / the preparation: Water analysis
- · 1.3 Details of the supplier of the safety data sheet
 - · Manufacturer/Supplier:

Xylem Analytics Germany GmbH Sensortechnik Meinsberg Meinsberg, Kurt-Schwabe-Straße 6 D-04736 Waldheim Germany Tel. +49 34327 623-0

- · Further information obtainable from: Email: info@meinsberg.de
- · 1.4 Emergency telephone number: Chemtrec: (USA & Canada) 800-424-9300 (International) 001 703-527-3887

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
 - · Classification according to Regulation (EC) No 1272/2008:



GHS05 corrosion

Met. Corr.1 H290 May be corrosive to metals.



Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

· 2.2 Label elements:

· Labelling according to Regulation (EC) No 1272/2008:

The product is classified and labelled according to the CLP regulation.

- · Hazard pictograms: GHS05
- · Signal word: Warning
- · Hazard statements:

H290 May be corrosive to metals.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

· Precautionary statements:

Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

(Contd. on page 2)

according to 1907/2006/EC, Article 31

Printing date 30.03.2020 Version number 2 Revision: 18.03.2020

Trade name: Elektrolyt: Schwefelsäure 1 mol/l

(Contd. of page 1)

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

· 2.3 Other hazards No further relevant information available.

SECTION 3: Composition/information on ingredients

· 3.2 Mixture

Description:

Mixture, consisting of the following components:

Water, sulfuric acid

Dangerous components:

CAS: 7664-93-9 sulphuric acid EINECS: 231-639-5

Skin Corr. 1A, H314

5 – < 10%

Index number: 016-020-00-8

Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
 - · After inhalation:

Take affected persons into fresh air and keep quiet.

Seek medical treatment in case of complaints.

· After skin contact:

Immediately rinse with water.

Take off contaminated clothing.

If skin irritation or rash occurs: Get medical advice/attention.

- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing:

Make victim drink water immediately (2 glasses at most).

Do not induce vomiting (risk of perforation)

Call a doctor immediately.

- · 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
 - · Suitable extinguishing agents: The product is not flammable. Extinguishing agent to suit environment.
- · 5.2 Special hazards arising from the substance or mixture

In case of fire, the following can be released:

Sulphur oxides (SOx)

- · 5.3 Advice for firefighters
 - · Protective equipment: Wear self-contained respiratory protective device.
 - Additional information

Suppress gases/fumes/haze with water spray.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Avoid contact with skin and eyes.

Wear personal protective equipment (see section 8).

(Contd. on page 3)

according to 1907/2006/EC, Article 31

Printing date 30.03.2020 Version number 2 Revision: 18.03.2020

Trade name: Elektrolyt: Schwefelsäure 1 mol/l

(Contd. of page 2)

Ensure adequate ventilation

· 6.2 Environmental precautions:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Wash off residuals with water.

Dispose contaminated material as waste according to section 13.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling Wear personal protective equipment (see section 8)
 - · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
 - Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
 - Information about storage in one common storage facility: Do not store together with alkalis (caustic solutions).
 - · Further information about storage conditions: Keep container tightly sealed.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
 - Ingredients with limit values that require monitoring at the workplace:

7664-93-9 sulphuric acid

IOELV Long-term value: 0.05 mg/m³

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
 - · Personal protective equipment:
 - · General protective and hygienic measures:

Avoid contact with the eyes and skin.

Do not inhale gases / fumes / aerosols.

Take off contaminated clothing and wash it before reuse.

Wash hands before breaks and at the end of work.

· Respiratory protection:

Only required when fog or aerosols are generated or when the workplace is not sufficiently ventilated.

- · **Protection of hands:** Protective gloves
 - · Material of gloves

Nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.11 mm

- · Eye protection: Tightly sealed goggles
- · Body protection: Acid resistant protective clothing
- · Limitation and supervision of exposure into the environment

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

– EU –

according to 1907/2006/EC, Article 31

Printing date 30.03.2020 Version number 2 Revision: 18.03.2020

Trade name: Elektrolyt: Schwefelsäure 1 mol/l

(Contd. of page 3)

SECTION 9: Physical and chemical properties

· 9.1 Information on bas	ic physical and	chemical pro	perties
--------------------------	-----------------	--------------	---------

· General Information

· Appearance:

Form: FluidColour: ColourlessOdour: Odourless

· pH-value at 20 °C:

· Change in condition

• Melting point/freezing point: Undetermined. • Initial boiling point and boiling range: ca. 101 °C

· Flash point: Not applicable.

· Auto-ignition temperature: Product is not selfigniting.

• Explosive properties: Product does not present an explosion hazard.

1

· **Vapour pressure:** Not determined.

· Density at 20 °C: 1.1 g/cm³

· Solubility in / Miscibility with

• water: Fully miscible.

• **9.2 Other information** No further relevant information available.

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
 - · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions

Exotherm reaction with bases.

Reacts with metals forming hydrogen.

- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: Metals
- · 10.6 Hazardous decomposition products: In case of fire, see section 5.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
 - · Acute toxicity Based on available data, the classification criteria are not met.
 - · LD/LC50 values relevant for classification:

7664-93-9 sulphuric acid

Oral LD50 2140 mg/kg (Rat) (RTECS)
Inhalative LC50 510 mg/m³, 2 h (Rat) (RTECS)

- · Primary irritant effect:
 - Skin corrosion/irritation

Causes skin irritation.

· Serious eye damage/irritation

Serious irritation.

Causes serious eye irritation.

· Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

(Contd. on page 5)

according to 1907/2006/EC, Article 31

Printing date 30.03.2020 Version number 2 Revision: 18.03.2020

Trade name: Elektrolyt: Schwefelsäure 1 mol/l

(Contd. of page 4)

· Acute effects (acute toxicity, irritation and corrosivity):

If ingested, severe burns of the mouth and throat, as well as a danger of the perforation of the oesophagus and the stomach.

- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
 - · Germ cell mutagenicity Based on available data, the classification criteria are not met.
 - · Carcinogenicity Based on available data, the classification criteria are not met.
 - · Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:

7664-93-9 sulphuric acid

EC50 29 mg/l, 24 h (Daphnia magna)

LC50 16 – 29 mg/l, 96 h (Lepomis macrochirus)

- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
 - · Additional ecological information:
 - · General notes: Detrimental effect due to shift of pH value.
- · 12.5 Results of PBT and vPvB assessment Not applicable.
- · 12.6 Other adverse effects
 - · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Disposal must comply with the relevant local regulations. We recommend that you contact either the authorities in charge or approved waste disposal companies which will advise you on how to dispose the special waste.

- · Uncleaned packaging:
 - · Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

Packagings that may not be cleansed are to be disposed of in the same manner as the product.

· Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information

· 14.1 UN-Number

· ADR/RID, IMDG, IATA UN2796

· 14.2 UN proper shipping name

· ADR/RID, IMDG, IATA SULPHURIC ACID

(Contd. on page 6)

according to 1907/2006/EC, Article 31

Printing date 30.03.2020 Version number 2 Revision: 18.03.2020

Trade name: Elektrolyt: Schwefelsäure 1 mol/l

(Contd. of page 5)

· 14.3 Transport hazard class(es)

· ADR/RID, IMDG, IATA



· Class 8 Corrosive substances.

· Label 8

· 14.4 Packing group

· ADR/RID, IMDG, IATA

· 14.5 Environmental hazards:

· Marine pollutant: No

• 14.6 Special precautions for user Not applicable.

Warning: Corrosive substances.

EMS Number: F-A,S-BSegregation groups AcidsStowage Category B

· 14.7 Transport in bulk according to Annex II of Marpol and

the IBC Code Not applicable.

· ADR/RID

Limited quantities (LQ)
 Transport category
 Tunnel restriction code

· UN "Model Regulation": UN 2796 SULPHURIC ACID, 8, II

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
 - · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

· Relevant phrases

H314 Causes severe skin burns and eye damage.

· Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO)

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

(Contd. on page 7)

according to 1907/2006/EC, Article 31

Printing date 30.03.2020 Version number 2 Revision: 18.03.2020

Trade name: Elektrolyt: Schwefelsäure 1 mol/l

(Contd. of page 6)

Met. Corr.1: Corrosive to metals – Category 1 Skin Corr. 1A: Skin corrosion/irritation – Category 1A Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

EU —